

**AN6, AN12, 2AN8 (PD A13.2" / B13.6")
FOR 1750 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT		
		AN6	AN12	2AN8
397	A3.0	4.06	8.12	5.52
423	A3.2	4.32	8.65	5.88
449	A3.4	4.59	9.18	6.25
476	A3.6	4.87	9.73	6.62
502	A3.8	5.13	10.26	6.98
513	B4.0	5.24	10.49	7.14
539	B4.2	5.51	11.02	7.50
565	B4.4	5.78	11.55	7.86
590	B4.6	6.03	12.06	8.21
616	B4.8	6.30	12.59	8.57
641	B5.0	6.55	13.10	8.92
667	B5.2	6.82	13.64	9.28
693	B5.4	7.08	14.17	9.64
718	B5.6	7.34	14.68	9.99
744	B5.8	7.60	15.21	10.35
770	B6.0	7.87	15.74	10.71
795	B6.2	8.13	16.25	11.06
821	B6.4	8.39	16.78	11.42
847	B6.6	8.66	17.31	11.78
872	B6.8	8.91	17.83	12.13
898	B7.0	9.18	18.36	12.49

**AN6, AN12, 2AN8 (PD A13.2" / B13.6")
FOR 1450 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT		
		AN6	AN12	2AN8
340	A3.2	3.48	6.95	4.73
361	A3.4	3.69	7.38	5.02
383	A3.6	3.91	7.83	5.33
404	A3.8	4.13	8.26	5.62
425	B4.0	4.34	8.69	5.91
446	B4.2	4.56	9.12	6.20
468	B4.4	4.78	9.57	6.51
489	B4.6	5.00	10.00	6.80
510	B4.8	5.21	10.43	7.10
532	B5.0	5.44	10.88	7.40
553	B5.2	5.65	11.30	7.69
574	B5.4	5.87	11.73	7.99
595	B5.6	6.08	12.16	8.28
617	B5.8	6.31	12.61	8.58
638	B6.0	6.52	13.04	8.88
659	B6.2	6.74	13.47	9.17
680	B6.4	6.95	13.90	9.46
702	B6.6	7.18	14.35	9.77
723	B6.8	7.39	14.78	10.06
744	B7.0	7.60	15.21	10.35
787	B7.4	8.04	16.09	10.95
850	B8.0	8.69	17.38	11.83
914	B8.6	9.34	18.68	12.72

**AN26, 2WN15, 2AN17 (PD A15.24" / B15.64")
FOR 1750 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT		
		AN26	2WN15	2AN17
367	A3.2	16.01	8.00	10.13
390	A3.4	17.01	8.50	10.76
413	A3.6	18.01	9.01	11.40
436	A3.8	19.01	9.51	12.03
447	B4.0	19.49	9.75	12.34
469	B4.2	20.45	10.23	12.94
492	B4.4	21.46	10.73	13.58
514	B4.6	22.42	11.21	14.19
537	B4.8	23.42	11.71	14.82
559	B5.0	24.38	12.19	15.43
581	B5.2	25.34	12.67	16.03
604	B5.4	26.34	13.17	16.67
626	B5.6	27.30	13.65	17.28
648	B5.8	28.26	14.13	17.88
671	B6.0	29.26	14.63	18.52
693	B6.2	30.22	15.11	19.13
716	B6.4	31.23	15.61	19.76
738	B6.6	32.18	16.09	20.37
760	B6.8	33.14	16.57	20.97
783	B7.0	34.15	17.07	21.61
828	B7.4	36.11	18.06	22.85
895	B8.0	39.03	19.52	24.70

**AN26, 2WN15, 2AN17 (PD A15.24" / B15.64")
FOR 1450 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT		
		AN26	2WN15	2AN17
352	A3.8	15.36	7.68	9.72
371	B4.0	16.17	8.09	10.23
389	B4.2	16.98	8.49	10.75
408	B4.4	17.79	8.90	11.26
426	B4.6	18.60	9.30	11.77
445	B4.8	19.41	9.70	12.28
464	B5.0	20.22	10.11	12.79
482	B5.2	21.02	10.51	13.30
501	B5.4	21.83	10.92	13.82
519	B5.6	22.64	11.32	14.33
538	B5.8	23.45	11.73	14.84
556	B6.0	24.26	12.13	15.35
575	B6.2	25.07	12.53	15.86
593	B6.4	25.88	12.94	16.38
612	B6.6	26.69	13.34	16.89
630	B6.8	27.49	13.75	17.40
649	B7.0	28.30	14.15	17.91
686	B7.4	29.92	14.96	18.93
742	B8.0	32.35	16.17	20.47
797	B8.6	34.77	17.39	22.00
834	B9.0	36.39	18.19	23.03
871	B9.4	38.01	19.00	24.05

**AN44, WN44, 2AN26, 2AN35, 2AN40
2WN35, 2WN40 (PD B19.1")
FOR 1750 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT			
		AN44	2AN26	2AN35	2AN40
		WN44	2AN26	2WN35	2WN40
348	B3.8	25.61	15.25	19.92	22.77
366	B4.0	26.94	16.04	20.95	23.94
384	B4.2	28.26	16.83	21.98	25.12
403	B4.4	29.66	17.66	23.07	26.36
421	B4.6	30.98	18.45	24.10	27.54
439	B4.8	32.31	19.24	25.13	28.72
458	B5.0	33.71	20.07	26.22	29.96
476	B5.2	35.03	20.86	27.25	31.14
494	B5.4	36.36	21.65	28.28	32.32
513	B5.6	37.75	22.48	29.36	33.56
531	B5.8	39.08	23.27	30.39	34.74
549	B6.0	40.40	24.06	31.42	35.91
568	B6.2	41.80	24.89	32.51	37.16
586	B6.4	43.13	25.68	33.54	38.33
604	B6.6	44.45	26.47	34.57	39.51
623	B6.8	45.85	27.30	35.66	40.75
641	B7.0	47.17	28.09	36.69	41.93
678	B7.4	49.90	29.71	38.81	44.35
732	B8.0	53.87	32.08	41.90	47.89
787	B8.6	57.92	34.49	45.05	51.48
861	B9.4	63.36	37.73	49.28	56.32

**WN72, WN90, 2AN61, 2AN76,
2WN61, 2WN76 (PD 23.14")
FOR 1750 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT			
		WN72	WN90	2AN61	2AN76
		WN72	WN90	2WN61	2WN76
348	B4.6	41.81	52.27	35.57	44.46
363	B4.8	43.62	54.52	37.10	46.38
378	B5.0	45.42	56.77	38.64	48.30
393	B5.2	47.22	59.03	40.17	50.21
409	B5.4	49.14	61.43	41.81	52.26
424	B5.6	50.95	63.68	43.34	54.17
439	B5.8	52.75	65.94	44.87	56.09
454	B6.0	54.55	68.19	46.40	58.01
469	B6.2	56.35	70.44	47.94	59.92
484	B6.4	58.16	72.70	49.47	61.84
500	B6.6	60.08	75.10	51.11	63.88
515	B6.8	61.88	77.35	52.64	65.80
530	B7.0	63.68	79.60	54.17	67.72
560	B7.4	67.29	84.11	57.24	71.55
606	B8.0	72.82	91.02	61.94	77.43
651	B8.6	78.22	97.78	66.54	83.18
712	B9.4	85.55	106.94	72.78	90.97
833	B11.0	100.09	125.11	85.14	106.43
939	B12.4	112.83	141.04	95.98	119.97

**AN44, WN44, 2AN26, 2AN35, 2AN40
2WN35, 2WN40 (PD B19.1")
FOR 1450 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT			
		AN44	2AN26	2AN35	2AN40
		WN44	2AN26	2WN35	2WN40
349	B4.6	25.68	15.29	19.98	22.83
364	B4.8	26.79	15.95	20.84	23.81
380	B5.0	27.97	16.65	21.75	24.86
395	B5.2	29.07	17.31	22.61	25.84
410	B5.4	30.17	17.97	23.47	26.82
425	B5.6	31.28	18.63	24.33	27.80
440	B5.8	32.38	19.28	25.19	28.78
455	B6.0	33.49	19.94	26.04	29.76
471	B6.2	34.66	20.64	26.96	30.81
486	B6.4	35.77	21.30	27.82	31.79
501	B6.6	36.87	21.96	28.68	32.77
516	B6.8	37.97	22.61	29.54	33.76
531	B7.0	39.08	23.27	30.39	34.74
562	B7.4	41.36	24.63	32.17	36.76
607	B8.0	44.67	26.60	34.74	39.71
653	B8.6	48.06	28.62	37.38	42.72
714	B9.4	52.55	31.29	40.87	46.71
835	B11.0	61.45	36.59	47.80	54.62
941	B12.4	69.25	41.24	53.86	61.56

**WN72, WN90, 2AN61, 2AN76,
2WN61, 2WN76 (PD 23.14")
FOR 1450 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT			
		WN72	WN90	2AN61	2AN76
		WN72	WN90	2WN61	2WN76
352	B5.6	42.24	52.80	35.93	44.91
364	B5.8	43.75	54.68	37.21	46.52
377	B6.0	45.25	56.57	38.50	48.12
389	B6.2	46.76	58.45	39.78	49.72
402	B6.4	48.27	60.34	41.06	51.33
414	B6.6	49.78	62.22	42.35	52.93
427	B6.8	51.29	64.11	43.63	54.54
439	B7.0	52.80	66.00	44.91	56.14
465	B7.4	55.81	69.77	47.48	59.35
502	B8.0	60.34	75.42	51.33	64.16
540	B8.6	64.86	81.08	55.18	68.97
590	B9.4	70.90	88.62	60.31	75.39
690	B11.0	82.97	103.71	70.58	88.22
778	B12.4	93.53	116.91	79.56	99.45

**WN98*, AN154, WN154*, 2AN137, 2WN150* (PD C24.6")
FOR 1750 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT			
		WN154			
		WN98	AN154	2AN137	2WN150
356	C5.0	58.17	90.89	80.79	90.09
391	C5.5	63.99	99.98	88.87	99.10
427	C6.0	69.80	109.07	96.95	108.11
498	C7.0	81.44	127.25	113.11	126.13
512	C7.2	83.77	130.88	116.34	129.74
526	C7.4	86.09	134.52	119.57	133.34
541	C7.6	88.42	138.15	122.80	136.94
555	C7.8	90.75	141.79	126.04	140.55
569	C8.0	93.07	145.43	129.27	144.15
583	C8.2	95.40	149.06	132.50	147.75
598	C8.4	97.73	152.70	135.73	151.36
612	C8.6	100.05	156.33	138.96	154.96
626	C8.8	102.38	159.97	142.19	158.57
640	C9.0	104.71	163.60	145.43	162.17
676	C9.5	110.52	172.69	153.50	171.18
711	C10.0	116.34	181.78	161.58	180.19
726	C10.2	118.67	185.42	164.82	183.79
754	C10.6	123.32	192.69	171.28	191.00
783	C11.0	127.97	199.96	177.74	198.21
811	C11.4	132.63	207.23	184.21	205.41
854	C12.0	139.61	218.14	193.90	216.23

**WN98, WN154, 2WN150 (PD C24.0")
FOR 1750 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT		
		WN98	WN154	2WN150
365	C5.0	59.62	93.16	92.35
401	C5.5	65.59	102.48	101.58
438	C6.0	71.55	111.80	110.82
510	C7.0	83.47	130.43	129.29
525	C7.2	85.86	134.16	132.98
540	C7.4	88.24	137.88	136.67
554	C7.6	90.63	141.61	140.37
569	C7.8	93.01	145.33	144.06
583	C8.0	95.40	149.06	147.75
598	C8.2	97.78	152.79	151.45
613	C8.4	100.17	156.51	155.14
627	C8.6	102.55	160.24	158.84
642	C8.8	104.94	163.97	162.53
656	C9.0	107.32	167.69	166.22
693	C9.5	113.29	177.01	175.46
729	C10.0	119.25	186.33	184.69
744	C10.2	121.63	190.05	188.39
773	C10.6	126.40	197.51	195.77
802	C11.0	131.17	204.96	203.16
831	C11.4	135.94	212.41	210.55
875	C12.0	143.10	223.59	221.63

**WN98*, AN154, WN154*, 2AN137, 2WN150* (PD C24.6")
FOR 1450 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT			
		WN154			
		WN98	AN154	2AN137	2WN150
354	C6.0	57.84	90.37	80.33	89.58
413	C7.0	67.48	105.43	93.72	104.51
424	C7.2	69.41	108.45	96.40	107.50
436	C7.4	71.3	111.46	99.07	110.48
448	C7.6	73.2	114.47	101.75	113.47
460	C7.8	75.19	117.48	104.43	116.45
472	C8.0	77.12	120.50	107.11	119.44
483	C8.2	79.05	123.51	109.78	122.43
495	C8.4	80.97	126.52	112.46	125.41
507	C8.6	82.90	129.53	115.14	128.40
519	C8.8	84.83	132.55	117.82	131.38
530	C9.0	86.76	135.56	120.50	134.37
560	C9.5	91.58	143.09	127.19	141.83
589	C10.0	96.40	150.62	133.88	149.30
601	C10.2	98.32	153.63	136.56	152.28
625	C10.6	102.18	159.66	141.92	158.26
648	C11.0	106.04	165.68	147.27	164.23
672	C11.4	109.89	171.71	152.63	170.20
707	C12.0	115.68	180.74	160.66	179.16
766	C13.0	125.32	195.81	174.05	194.09
825	C14.0	134.96	210.87	187.44	209.02

**WN98, WN154, 2WN150 (PD C24.0")
FOR 1450 RPM MOTOR**

RPM	SHEAVE	PISTON DISPLACEMENT		
		WN98	WN154	2WN150
363	C6.0	59.28	92.63	91.82
423	C7.0	69.16	108.07	107.12
435	C7.2	71.14	111.16	110.18
447	C7.4	73.12	114.24	113.24
459	C7.6	75.09	117.33	116.30
471	C7.8	77.07	120.42	119.36
483	C8.0	79.05	123.51	122.43
495	C8.2	81.02	126.60	125.49
508	C8.4	83.00	129.68	128.55
520	C8.6	84.97	132.77	131.61
532	C8.8	86.95	135.86	134.67
544	C9.0	88.93	138.95	137.73
574	C9.5	93.87	146.67	145.38
604	C10.0	98.81	154.39	153.03
616	C10.2	100.78	157.47	156.09
640	C10.6	104.73	163.65	162.21
665	C11.0	108.69	169.82	168.33
689	C11.4	112.64	176.00	174.46
725	C12.0	118.57	185.26	183.64
785	C13.0	128.45	200.70	198.94
846	C14.0	138.33	216.14	214.24

* Non-standard size sheave, additional price